

## TOOLS - LUBRICANTS

## QUICK LOCATOR GUIDE

Books, Elevator Manuals .....	489
Brush Tension Scale .....	483
Burnishing Tools .....	481
Cable Jacket Remover .....	477
Caliper, Wire Rope .....	478
Cleaners .....	486-487
Commutator Dressing and Finishing Stones .....	481
Commutator Treating Kit, Brush Seating Stones .....	480
Contact Burnishing Tools .....	477
Diamond Spatulas .....	483
Door Sill Brush .....	475
Door Wedge Tools .....	475
Flexible Files, Abrasives .....	482
Ground Fault Protection .....	476
Hydraulic Tools .....	468-469
Jumper Kit .....	465
Lamp and Fuse Removers .....	475
Lights, Drop Light, Flashlight, Area Light .....	478
Lock Out Tools .....	476
Lubricants .....	485-486
Meters, AC/DC Clamp on, Special Purpose .....	470-474
Multi-Meter Accessory Test Kit .....	464
Multi-Meter Selection Guide .....	470
Parameter Tool .....	478
Pressure Gauges .....	464
Rail Blocks .....	476
Rail Files, Holder, Handle .....	477
Rail Lubricator and Supplies .....	486
Relay Adjuster's Tool Kit .....	480
Relay Testers, Multi-Volt Meter .....	479
Rope Oilers and Supplies .....	486
Screwdrivers and Fasteners .....	485
Sealants .....	486-487
SEES Library, Reference Manuals, Handbooks .....	489
SEES Solutions .....	488
Solder Pot and Babbit .....	485
Stud Welding Gun .....	480
Tachometer .....	464
Tape Measure, Diameter .....	475
Tool Box and Tool Bags .....	483
Under Cutter, Mica Miller .....	483
Vacuum Glass Handler .....	475
Weight Test Cart .....	476
Wire Rope Measuring Tools .....	477

## Tools



MIS-MTR-014



MIS-MTR-050



MIS-MTR-051



MIS-216A



MIS-216B



MIS-216

## Tachometer

The latest in micro-computer technology assures complete accuracy in measuring rotational, linear, and surface speeds. This battery operated device offers a wide speed range, large memory capacity, multi-mode speed selection, low voltage indicator, and an easy reading digital display window. Accessories included.

S.E.E.S. #	Description
MIS-216	Digital Handheld Tachometer, DT-105
MIS-216A	Wheel Assembly replacement for MIS-216, 6" circumference
MIS-216B	Tach Wheel 12" circumference



MIS-211



MIS-211C



MIS-211E



## Door Pressure Gauges

S.E.E.S. #	O.E.M. #	Description
MIS-211		Door Pressure Gauge
MIS-211C		Door Force Gauge, SEES Door Force Measurement System
MIS-211E	475055	Digital Force Gauge, 220lbs & 980N, Measures Tension/Compression
MIS-211B	SE72142.5.25-1K	Gauge Kit, 0-1 PSI, with 1/4" NPT center back mounting

## Jumper Kit

S.E.E.S. #	Description
SEES-JUMPER-001	<b>SEES Jumper Kit</b> , used for temporarily jumping out circuits while under repair. Jumper test lead with pouch, includes alligator clip, spring loaded plunger, lug terminal, + SEES Jumper Band
SEES-JUMPER-001F	<b>SEES Fused Jumper Kit</b> , Jumper test lead kit with pouch, 250V / 0.5A Glass Fuse
SEES-JUMPER-001K	<b>SEES Jumper Kit</b> , Test Kit with Pouch and Wrist Band
SEES-JUMPER-002	<b>SEES Jumper</b> , Time Out
SEES-JUMPER-003	<b>SEES Jumper</b> , Banana Plug 2mm x 60", Long Red 18AWG
SEES-JUMPER-004	<b>SEES Jumper</b> , Tip Black
SEES-JUMPER-005	<b>SEES Jumper</b> , Tip Red
SEES-JUMPER-006	<b>SEES Jumper kit</b> , 3 Gator Clips 6 Test Pins, Pouch, Wrist Band
SEES-JUMPER-007	<b>Magnetic Jumper</b>
SEES-JUMPER-008	<b>Safety Labels</b> , Bag of 25 Self Adhesive for Jumper Wires
SEES-JUMPER-009	<b>Jumper Adapter</b> , Bag of 4
SEES-JUMPER-BAND	<b>Wrist Band Safety Reminder</b> , wear while performing circuit repair, remove when job is completed and jumpers are removed. Band is marked, "No Jumper Left Behind"
SEES-JUMPER-POUCH	<b>SEES</b> , Jumper Pouch Only Blue with Velcro



SEES-JUMPER-001



SEES-JUMPER-BAND



SEES-JUMPER-003



SEES-JUMPER-005



SEES-JUMPER-POUCH



MIS-TOOL-150

## Pumps

S.E.E.S. #	Description
MIS-TOOL-150	<b>Dynamometer / Scale</b> , 5,000 lbs. 5" diameter face with case
MIS-TOOL-200	<b>Transfer Pump</b> , 115V 5/8 inch ports, 300 GPH
MIS-TOOL-201	<b>Ports Utility Pump</b> , 1/2 HP, 3/4in. 115V, 100 psi

## Valve Shut-Off Lever

S.E.E.S. #	Description
SEES-TOOL-001	<b>Valve Shut-Off Lever</b> , Dover, 12" Long



SEES-TOOL-001



MIS-TOOL-200

## Voltage Detectors

S.E.E.S. #	Description
SEES-TOOL-002	<b>Voltage Detector</b> , with Light, No Brand
SEES-TOOL-002S	<b>Voltage Detector</b> , with Light, SEES Brand



SEES-TOOL-002

## Hand Taps

S.E.E.S. #	Description
MIS-TOOL-120	<b>Hand Tap</b> , 1/4" Standard
MIS-TOOL-121	<b>Hand Tap</b> , 3/8" Standard
MIS-TOOL-122	<b>Hand Tap</b> , 5/16" Standard

## Smartrise Tool

S.E.E.S. #	Description
SEES-SMARTRISE-TOOL	<b>Smartrise Debug Tool</b>



SEES-SMARTRISE-TOOL



SEES-JUMPER-001F

**SAVES MONEY**  
**SAVES LIVES**

Human error is inevitable and even the best of us can make a mistake once in a while. Poorly lit machine rooms, hard to reach electrical components and electrical wiring diagram errors are just a few of the contributors to these mistakes.

The SEES fused jumper minimizes the potential damage to technicians and elevator components.

Replaceable fuse up to 5 amps,  
1/4" glass fuse

**ADVANTAGES**

- » Adds an extra layer of electrical isolation/protection
- » Prevents electric shock to mechanic
- » Prevents damage to components
- » Happy technicians

**STANDARD JUMPER KIT DISADVANTAGES**

- » Injured technicians
- » Costly board replacement
- » Increased insurance costs
- » Angry customers
- » Downtime



**» INCLUDES**

- 

Jumper Wire,  
Alligator Clips
- 

Jumper Wire,  
Plunger Type
- 

SEES Jumper,  
Yellow Adaptor Pin
- 

Velcro Pouch,  
SEES Jumper Kit
- 

SEES,  
Wrist Band
- 

Safety Labels,  
Self Adhesive



*Always Smooth Sailing*


2781 West McNab Rd, Pompano Beach, FL 33069 • (800) 526-0026 • www.SEESinc.com

*Introducing...*

# THE WORLD'S BEST ELEVATOR SCREWDRIVER

**\$15**  
FOR 1

**\$12**  
FOR 10  
OR MORE



**MIS-126A**  
*Screwdriver with  
Ratchet & 12 Bits*

*Don't miss this  
incredible DEAL!!!*



*Phillips #0, #1, #2*

*Slotted #4*

*Spanner #6 x #8, #10 x #12*

*Torx(R) T10 x T15, T20 x T25*



*Always Smooth Sailing*

2781 West McNab Rd, Pompano Beach, FL 33069 • (800) 526-0026 • www.SEEInc.com



## Hydraulic Tools

S.E.E.S.# MIS-FLT-001

### Specifications

- 3/4 HP
- 10 GPM Pump
- 6 Micron Rated Filter
- Sump Strainer
- 9' Electric Cable
- 8" Hoses
- 10" Pneumatic Tires



MIS-FLT-001P



MIS-FLT-002M



MIS-FLT-007



MIS-FLT-008



MIS-FLT-009



MIS-FLT-010



MIS-FLT-R2



MIS-FLT-R1



MIS-FLT-012



MIS-FLT-R3



MIS-OIL-COOLER-001

S.E.E.S. #	Description
MIS-FLT-001	Portable Filter Cart
MIS-FLT-001P	Oil Cart Pump, Replacement
MIS-FLT-002	Kidney Loop Filtration System without mounting Kit
MIS-FLT-002M	Kidney Loop Filtration System with mounting Kit
MIS-FLT-007	Breather, Desiccant and Activated Carbon Moisture and Odor Control
MIS-FLT-008	Breather, Adapter
MIS-FLT-009	Gasket Material
MIS-FLT-010	Pressure Gauge, 2-1/2" Face, 0-600 PSI, 1/4" NPT
MIS-FLT-012	Suction Strainer, 3/4" NPT
MIS-FLT-013	Ball Valve, Low Pressure 1-1/2" Full Flow
MIS-FLT-IM284	Motor Generator Filter, 284A, 2 Cubes, 2 Panels
MIS-FLT-R1	Replacement Element Cartridge, Particle Removal, for MIS-FLT-001
MIS-FLT-R2	Replacement Element Cartridge, Water Removal, for MIS-FLT-001
MIS-FLT-R3	Particulate Removal Element
MIS-FLT-WH5014A	Filter set frame, 5014A 4 Panels
MIS-OIL-COOLER-001	Oil Cooler, hydraulic heat exchanger, 26,100 BTU/Hr Single Phase, 115/230V w/ hose, remote mount air to oil with Hydro motor and thermostat control
MIS-OIL-COOLER-003	Tank Cooler, direct mount over top of tank, requires no plumbing, 2,000 BTU/Hr, 36" x 14" x 8", auto start at 120° F
MIS-OIL-COOLER-FAN	Fan, Cooler AOC Series
MIS-OIL-COOLER-PUMP	Pump, Oil Cooler, Used on MEI's AOC and BOL

# Hydraulic Tools

## SEES Pressure Gauges and Adaptors

S.E.E.S. #	Description
SEES-HYD-PG	SEES pressure gauge, 1K PSI, for tanks, with ball valve
SEES-HYD-PG-001	Pressure gauge elbow adaptor, for Thyssen, fits 1/8" NPT x 1.26" OAL
SEES-HYD-PG-002	Pressure gauge elbow adaptor, for Otis, fits 1/4" NPT x 1.52" OAL
SEES-HYD-PG-003	Pressure gauge elbow adaptor, for Kone, fits 3/8" NPT x 1.76" OAL
SEES-HYD-PG-004	Pressure gauge elbow adaptor, fits 1/4" NPT x 1.81" OAL
SEES-HYD-PG-005	SEES pressure gauge adaptor kit, for Thyssen, Otis, Kone and other
SEES-HYD-PG-006	SEES pressure gauge & hose, 1K PSI, with quick connect
SEES-HYD-PG-007	SEES pressure gauge kit, all adaptors, pressure gauge and hose
SEES-HYD-PG-008	Hose Only, 3 ft with 1/4" FNPT x 1/8" MNPT
SEES-HYD-PG-009	Quick Disconnect, Female, 1/2-14 ISO 7241-1 Series B
SEES-HYD-PGP	SEES Hydro Pressure Gauge Port, quick release only
SEES-HYD-PGPF	SEES Hydro Pressure Gauge Port, Female quick release with 90 deg 1/8 elbow



SEES-HYD-PG



SEES-HYD-PG-001



SEES-HYD-PG-002



SEES-HYD-PG-003



SEES-HYD-PG-004



SEES-HYD-PG-005



SEES-HYD-PG-006



SEES-HYD-PG-007



SEES-HYD-PG-008



SEES-HYD-PGP



MIS-211B

S.E.E.S. #	O.E.M. #	Description
MIS-211B	SE72142.5.25-1K	Gauge Kit, 0-1 PSI, with 1/4" NPT center back mounting

## Tools



### Multi-Meter Selection Guide

S.E.E.S. #	MIS-MTR-005	MIS-MTR-001	MIS-MTR-002	MIS-MTR-003	MIS-MTR-004	MIS-MTR-006
Model	MN-26	EX-410	EX-430	EX-470	MP-530	MM-570
Key Features	Compact Size	Best value with DMM functions and features at a low cost		Infa Red Thermometer with laser	Auto ranging and RS-232 PC Interface	"Highest Precision and resolution w/ 50,000 and 500,000 counts"

#### Special Functions

Basic Accuracy (VDC)	1%	0.50%	0.30%	0.30%	0.08%	0.02%
Temperature (Type K)	*	*	*	*	*	*
Temperature (InfraRed)				*		
Capacitance	*		*	*	*	*
Frequency	*		*	*	*	*
Logic Test						
Transistor						
Battery Test						
Signal Output						
Duty Cycle	*		*	*		*
Pulse/Period Width						

#### Features

True RMS			*	*	*	*
Autoranging	*		*	*	*	*
Counts	4000	2000	4000	4000	5000	50,000/500,000
Backlit Display		*	*	*	*	*
Data Hold	*	*	*	*	*	*
Auto Power Off	*	*	*	*	*	*
Bargraph					*	*
Relative	*		*	*	*	*
Peak Hold					*	*
Min/Max					*	*
Input Alert		*	*	*		
Data logging						
PC Interface					*	*
Software					OPTIONAL	OPTIONAL
Category Rating	CAT II 600V	CAT III 600V	CAT III 600V	CAT III 600V	CAT III 600V	CAT III 600V
CE/UL	CE/UL	CE/UL	CE/UL	CE/UL	CE/UL	CE/UL
Warranty	1 YEAR	1 YEAR	3 YEARS	3 YEARS	3 YEARS	3 YEARS



## Tools

**EXTECH**  
INSTRUMENTS



### AC/DC Clamp on Meters

S.E.E.S. # MIS-MTR-008

**Features:**

- Maximum AC current of 600A
- Measure AC Current, AC/DC Voltage and Resistance
- Data Hold "freezes" data in display
- 1.25" (33mm) circular jaw opening for large cables (350MCM)
- Peak Hold captures in-rush currents
- Audible Continuity beeper
- Auto power off
- Complete with test leads, 9V battery, and carrying case
- True RMS voltage and current measurements
- AC/DC current to 600A
- Large 4000 count LCD display
- Capacitance measurements
- Temperature measurements
- Includes temperature probe

**Specifications:**

AC Current: 400A, 600A (Trms) (100mA)  
 DC Current: 400A, 600A (100mA)  
 DC Voltage: 400mV, 4V, 40V, 400V, 600V (0.1mV)  
 AC Voltage: 4V, 40V, 400V, 600V (Trms) (1mV)  
 Resistance: 400Ω, 4kΩ, 40kΩ, 400kΩ, 4MΩ, 40MΩ (0.1Ω)  
 Capacitance: 40nF, 400nF, 4μF, 40μF, 100μF (0.01nF)  
 Temperature: -4 to 1400°F, -20 to 760°C (1°F/°C)  
 Continuity: yes  
 Power: 9V battery  
 Dimensions: 3.1 x 8 x 1.6" (79 x 203 x 41mm)  
 Weight: 6.5oz (185g)

**Basic Accuracy (%rdg+digits)**

±(3.5% + 5d)  
 ±(3.5% + 3d)  
 ±(0.5% + 2d)  
 ±(0.8% + 3d)  
 ±(1% + 4d)  
 ±(3.5% + 5d)  
 ±(3.0% + 3°F/°C)

S.E.E.S. # MIS-MTR-009

**Features:**

- Full function auto ranging DMM includes AC/DC Voltage and Current, Resistance, Capacitance, Frequency, Duty Cycle, Diode and Continuity
- Current measurements to 2000A through the clamp and 240mA via test leads
- Large 5000 count backlit display for high resolution and easy viewing in dimly lit areas
- Basic DCV accuracy of 1% with 0.1mV resolution and current resolution to 0.1μA
- Rugged 2.36" jaws accommodate one 2000MCM or two 500MCM cables
- Features include DCA push button zero, Relative measurements and Data Hold
- Heavy duty ABS case with built-in stand and thumb control function switch
- Complete with test leads and 9V battery

**Specifications Ranges Max. Resolution Basic Accuracy (%rdg+digits)**

DC/AC Current (Clamp): 240A, 2000A 0.1A ±(2% + 5d)  
 DC/AC Current (DMM): 240μA, 2400μA, 24mA, 240mA 0.1μA ±(1.2% + 5d)  
 DC Voltage: 240mV, 2.4V, 24V, 240V, 1000V 0.1mV ±(1% + 2d)  
 AC Voltage: 2.4V, 24V, 240V, 1000V 1mV ±(1.2% + 5d)  
 Capacitance: 25nF, 250nF, 2.5μF, 25μF 0.01μF ±(3% + 5d)  
 Resistance: 240Ω, 2.4kΩ, 24kΩ, 240kΩ, 2.4MΩ, 24MΩ 0.1Ω ±(1% + 5d)  
 Frequency: 50Hz, 500Hz, 5kHz, 50kHz, 100kHz 0.001Hz ±(1% + 5d)  
 Duty Cycle: 0.1% to 99.9% 0.1% ±(1% + 5d)  
 Diode Check: yes  
 Continuity: yes  
 Dimensions/Weight: 10 x 2.9 x 1.5" (255 x 73 x 38mm)/14oz. (380g)

## Tools

### Special Purpose Meters



**EXTECH**  
INSTRUMENTS



#### S.E.E.S. # MIS-MTR-010

##### Wide Range Infrared Thermometer

Non-contact Infrared Thermometer with laser pointer measures to 1000°F

##### Features:

- Wide range temperature measurements from -54°F to 1000°F without contact
- Large LCD display with backlighting
- Built-in laser pointer to improve aim
- °F/°C switchable
- Fixed emissivity (0.95) covers 90% of surface applications
- Narrow field of view
- Audible and visible overrange indicators
- Automatic Data Hold

##### Applications:

- Measure surface temperature of objects which are difficult to reach or unsafe to contact
- Measure hot spots in electrical panels and equipment
- In-process temperature measurements

##### Specifications:

Range:	-58 to 1000°F or -50 to 538°C
Accuracy:	±2% of reading or ±4°F/ 2°C (whichever is greater)
Resolution:	0.1°F/°C
Emissivity:	0.95 fixed
Display:	Backlit LCD
Power:	9V battery
Field of view:	8:1 (at 8" distance measure 1" target)
Dimensions:	8.3 x 3.5 x 1.5" (211 x 89 x 38mm)
Weight:	6.4oz. (200g)

#### S.E.E.S. # MIS-MTR-011

##### Digital Sound Level Meter

Big Display, RS-232 interface, and Background Noise Absorber

##### Features:

- Auto/Manual ranging from 30 to 130dB in 6 ranges
- Meets ANSI and IEC Type 2 standards
- A and C selectable frequency weightings
- Fast and Slow selectable response times
- Background noise absorber mode for machine noise measurements filters ambient noise
- Large 3 1/2 digit display with 0.1dB resolution with backlighting and analog bar graph
- Electret condenser microphone provides 1.5dB accuracy
- Min/Max plus analog output and tripod mount
- Max Hold latches maximum value on display
- RS-232 interface for capturing data directly on a PC, optional Windows® compatible software
- Complete with batteries and carrying case

##### Applications:

- Machine noise evaluation
- OSHA compliance testing
- Community noise measurement
- Noise ordinance
- PC interface for data collection

Digital Display:	3-1/2 digit (1999 count) Autorange LCD
Bargraph Display:	50dB display range (1dB resolution);
Measurement Range:	30 to 130dB (35 to 130dB for "C" weighting)
Resolution:	0.1dB
Accuracy:	±1.5 dB @ 94dB for a 1kHz sine wave
Microphone:	Electret Condensator .24" (6mm dia.) type
Frequency Weighting:	"A" and "C" type
Time Response:	Slow/Fast
Sampling time:	updates every 0.5 seconds
Measurement frequency range:	31.5Hz to 8KHz
Analog output:	AC: 0.707Vrms (full scale); DC: 10mVDC/dB
Applicable Standards:	IEC 651 Type 2, ANSI S1.4 Type 2
Power Supply:	9V battery, optional AC adaptor
Dimensions:	10 x 3.1 x 1.5" (256 x 80 x 38mm)
Weight:	8.5oz. (240g)

## Tools

### Special Purpose Meters



#### S.E.E.S. # MIS-MTR-011A

##### Digital Sound Level Meter

30-130dB(A) Range with Sound Simulation, Max/Min/Data Hold, Fast/Slow Mode, Self-Calibration Noise Meter

##### Features:

- Frequency weighting: A
- Frequency response: 31.5Hz — 8KHz
- Level ranges: 30dB 130dB (resolution: 0.1dB)
- Response time: (FAST)125ms,(SLOW)1000ms
- Overload indication: 30dB (UN display), 130dB (OL display)
- Accuracy:  $\pm 1.5$ dB (@1KHz Standard source)
- Auto power off: Auto shut down after approx 10 minutes of inactivity
- Low battery indication: 6V
- Sensor: 1/2 inch electret condenser microphone

##### Applications:

- Machine noise evaluation
- OSHA compliance testing
- Community noise measurement
- Noise ordinance
- PC interface for data collection

Measurement Range: 30 to 130dB (35 to 130dB for "C" weighting)  
 Resolution: 0.1dB  
 Accuracy:  $\pm 1.5$  dB @ 94dB for a 1kHz sine wave  
 Microphone: Electret Condensor .24" (6mm dia.) type  
 Frequency Weighting: "A" and "C" type  
 Time Response: Slow/Fast  
 Sampling time: updates every 0.5 seconds  
 Measurement frequency range: 31.5Hz to 8KHz  
 Analog output: AC: 0.707Vrms (full scale);  
 DC: 10mVDC/dB  
 Power Supply: 9V battery  
 Dimensions: 2.12 x 7.48 x 1.38 "  
 Weight: 6oz. (170g)



#### S.E.E.S. # MIS-MTR-012

##### Combination Tachometer

Battery operated non-contact motion and RPM measurements

##### Features:

- Unique display where characters reverse direction depending on measurement mode you are in
- Large 0.4" 5 digit LCD digital display
- Microprocessor based with quartz crystal oscillator to maintain high accuracy
- Tachometer memory stores last, max and min readings
- Provides wide RPM (photo) and Linear Surface Speed (contact) measurements
- Microprocessor precision, accurate to 0.05%
- Permits readings to a resolution of 0.1 RPM in either photo or contact mode
- Complete with wheels for linear surface speed or RPM measurements, four 1.5 volt AA batteries, reflective tape and carrying case

##### Applications:

- Contact RPM Measurements for flywheels, conveyors, pumps and elevators
- Non-Contact RPM measurements for fans, motors & gears

##### Specifications Ranges Basic Accuracy Range (RPM): 5 to 99,999 0.5 to 20,000

Accuracy: 0.05% of reading +1 digit  
 Sampling Time: 1 Sec > 60 RPM 1 Sec > 6 RPM  
 Surface Speed: 0.2 to 6560 ft/min 0.05 to 1999.9m/min  
 Resolution: 0.1 RPM (< 1,000 RPM) 1 RPM >1000 RPM  
 Power: 4 AA batteries  
 Dimensions: 8.5 x 2.6 x 1.5" (215 x 65 x 38 mm)  
 Weight: 10.6 oz (300 g)

**Tools**  
**EXTECH**  
INSTRUMENTS



MIS-MTR-032



MIS-MTR-034



MIS-MTR-035



MIS-MTR-036

**Special Purpose Meters**

**S.E.E.S. # MIS-MTR-032**

**Photo Thermal Imaging Infrared Camera**

**Features:**

- Pocket sized and fully automatic design makes it incredibly easy-to-use even for first time users--perfect for general purpose use
- 80 x 80 pixels for clear images
- Focus Free Lens
- 5 hour battery life
- 2.8" color LCD
- Only 12oz.
- Included memory card stores up to 500+ Radiometric JPEG images. Each image can be analysed using the included software.

**Specifications :**

Temperature range: 32 to 482°F  
Resolution: 80 x 80 pixels  
Accuracy: 2%  
Thermal Sensitivity: 0.1°C

**S.E.E.S. # MIS-MTR-033**

**Temperature/Humidity Wall Meter**

**Features:**

- Min/Max reset
- 1 AAA Battery
- 1" Digits on large LCD
- Low battery indication
- Complete with built-in tilt stand, wall mounting bracket, and 1.5V AAA battery



MIS-MTR-033

**S.E.E.S. # MIS-MTR-034**

**Meter, Light Measurement Up To 20,000Fc/20,000Lux**

**Features:**

- Compact and rugged design with large display
- Low range model measures to 2,000Fc/ 20,000Lux
- Data Hold and Min/Max readings
- Auto power off

**S.E.E.S. # MIS-MTR-035**

**Multimeter Adaptor, Ft Candle Light, ranges (0 to 5000Fc)**

**Features:**

- A low cost alternative to a full size meter with display - simply plug into your multimeter for direct measurements in Foot candles
- Three measurement ranges (0 to 5,000Fc) with 5% accuracy
- 1mV/Fc output

**S.E.E.S. # MIS-MTR-036**

**Light Meter, Foot Candle/Lux Incl Analog Output**

**Features:**

- Accurately displays light level in terms of Fc or Lux over three ranges
- Select fast (1 second) or slow (2 seconds) response time
- Analog output of 1mV per count for capturing readings to a recorder

## Tools

### Door Wedge Tools

Safely perform maintenance and repair services with SEES series of door wedge tools

S.E.E.S. #	O.E.M. #	Description
DW-T00L		Door wedge tool
MIS-DW-T1	SAF165	Tool, Door Wedge with Knob and fire tab slots
MIS-DW-T2	SAF164	Tool, Door Wedge with Knob standard without slot
MIS-DW-T3	10-851	Door Wedge Tool, with Knob, narrow door stop, 3/8" W
SEES-DWT-001		SEES Door Wedge Tool, Blue Poly
SEES-DWT-002		SEES Door Wedge Tool, Black Poly
SEES-DWT-002MR		SEES Door Wedge Tool, Metric, Rubber 70 Duro no slot
SEES-DWT-003		SEES Door Wedge Tool, Blue Poly with fire tab slot
SEES-DWT-004		SEES Door Wedge Tool, Black Poly with fire tab slot
SEES-DWT-004R		SEES Door Wedge Tool, Rubber 70 Duro with fire tab slot
SEES-DWT-005		SEES Spring Door Wedge Tool, Rubber Coated Spring Steel
SEES-DWT-006		SEES Door Wedge Tool, Stainless Steel Bottle Opener
DG-MT		Door Gap, Measuring tool



### Steel Diameter Measuring Tape

S.E.E.S. #	Description
MIS-165	Steel Measuring Tape for measuring the diameter of pistons or shafts. One side of this handy tape is an inch measurement and the other side inches of diameter by 64ths. Used to measure the circumference of pistons.



### Lamp and Fuse Removers

S.E.E.S. #	Description
MIS-175	Bulb Remover, a useful aid in removing all types of lamps from hard to reach lamp sockets.
FM-100	Fuse Puller Specialty Tool for easy fuse removal and replacement
MIS-223	Yellow stick, insulated wire puller
MIS-223A	Orange stick, original, 7" long, 160 dia., 10 pack, wood



### Door Sill Cleaning Brush

S.E.E.S. #	Description
MIS-158	Door sill cleaning brush, heavy duty wire brush with wooden handle. It is the perfect tool for many jobs.

### Vacuum Glass Handler

S.E.E.S. #	Description
MIS-220	Vacuum Glass Handler Super grip double 5" diameter vacuum cups to safely handle glass, 75lb Capacity
MIS-220A	Vacuum Cup Lifter, 5" Dia Dual Cups, 150lb Capacity





MIS-118



MIS-118A



MIS-118B



30334008



MIS-LOCK-001



SEES-WC-002W



SEES-WC-002WB



SEES-WC-002

## Rail Blocks

S.E.E.S. #	Description
KOOL-RGB-001	Rail Guide Block, Brake Assembly with Inserts
KOOL-RGB-001A	Rail Guide Block, Replacement Pad. M12, Old Design Heat Treated
KOOL-RGB-001B	Rail Guide Block, Replacement Pad. M12, New Design Heat Treated
KOOL-RGB-001M	Rail Guide Block, Magnet 3/4" O.D. x 1/2" TK
KOOL-RGB-002	Rail Guide Block, Remblok 30mm, Standard
KOOL-RGB-002A	Rail Guide Block, Remblok 30mm
KOOL-RGB-003	Rail Guide Block, Remblok 40mm, Standard
KOOL-RGB-004	Rail Guide Block, Pivot Block Serrated
MIS-118	Tool, Rail blocks for 5/8" rail, 25,000 lb rating/pair
MIS-118A	Tool, Rail blocks for 5/8" rail with clevis (25,000lb/pair)
MIS-118B	Replacement Set Screws, for Rail Blocks, (Set of 6)

## Ground Fault Protection

S.E.E.S. #	Description
30334008	GFCI Plug, right angle, with triple tap 2 ft.
30334052	GFCI, right angle, protected quad outlet box
30338018	GFCI, in-line cord set 18"
30338024	GFCI, in-line with triple tap 3 ft
30339005	Adapter, 3-wire outlet



30334052



30338018



30338024



30339005

## Lock Out Tools

S.E.E.S. #	Description
MIS-LOCK-001	Lock Out, for Switch 1-1/2" Shk Master Red K/A, with key #600F41
MIS-LOCK-001A	Key, #600F41 Replacement for MIS-LOCK-001

## Weight Test Cart

S.E.E.S. #	Description
SEES-WC-002	SEES Weight Test Cart, 500lbs
SEES-WC-002-RENTAL-D	SEES Weight Test Cart, 500lbs Daily Rental
SEES-WC-002-RENTAL-W	SEES Weight Test Cart, 500lbs Weekly Rental
SEES-WC-002-RENTAL-M	SEES Weight Test Cart, 500lbs Monthly Rental
SEES-WC-002W	Weight Cart Wheel, replacements
SEES-WC-002WB	Weight Cart Wheel Bushing, replacements
SEES-WC-003	Weights, 50lb casting
SEES-WC-004	SEES Weight Test Cart, 250lbs

# Tools

S.E.E.S. #	Description
MIS-108	<b>Cable Jacket Remover</b> precision shears ease the removal of plastic, metal and rubber jacket from all round cables. Smooth positive cutting action.
MIS-108-A	<b>Blade Nose Guide</b> , replacement
MIS-108-B	<b>Cutter Blades</b> , replacement, 6/Pkg
MIS-109	<b>Inspection Mirror</b> , 1-1/8" diameter magnifying mirror has a 1/4" diameter handle that is set on a 45° angle.
MIS-111	<b>Contact Burnishing Tools</b> , 3" x 1/4" x .007" thick. Leaves no residue, insulated plastic handle, 5/pkg.
MIS-112	<b>Contact Burnishers</b> , Heavy-Duty 3-1/4" x 1/4" x .010" thick. Leaves no residue, insulated plastic handle, 5/Pkg.
MIS-050	<b>Flex Rail File</b> , 14" Flat Flex Rail File, 8 teeth per inch
MIS-050B	<b>File Handle</b> , Adj. heavy-duty metal plane type 12-14
MIS-113	<b>Spring Adjuster</b> with Offset .018"
MIS-114	<b>Spring Adjuster</b> with Offset .032"
MIS-115	<b>Adjuster Tool</b> , .40" and .028" slots
MIS-TOOL-003	<b>Step Drill Bits</b> , high speed steel, 10 hole sizes range from minimum 13/16" to maximum 1-3/8". Shank size 7/16"
MIS-TOOL-202	<b>Sill Height Gauge</b> , Imperial Slider Ruler
MIS-TOOL-202M	<b>Sill Height Gauge</b> , Metric Slider Ruler
MIS-TOOL-203	<b>Sill Height Gauge</b> , Imperial, S/S Slider
MIS-TOOL-203M	<b>Sill Height Gauge</b> , Metric, S/S Slider
WR-SJ-001	<b>Wire Rope Soft Jaws</b> , for use with vice grips (not included)
MIS-211D	<b>Gauge</b> , Wire Rope Tension
WR-MT	<b>Wire Rope Measuring Gauge</b> , for imperial sizes, go/no go style, use on rope diameters 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4". Blue anodized with SEES logo
WR-MT-ATIS	<b>Wire Rope Measuring Tool</b> , for imperial sizes, Marked with ATIS logo, Blue
WR-MT-NB	<b>Wire Rope Measuring Tool</b> , blue anodized without logo
WR-MT-METRIC	<b>Wire Rope Measuring Tool</b> for Metric Rope, measure rope diameter, go / no go. Blue anodized.
SEES-WR-SG	<b>Wire Rope Sheave Gauge</b> , (Metal) Sizes: 1/2, 9/16, 5/8, 3/4
SEES-WS-001	<b>SEES Wire Stripper Tool</b>
MIS-TOOL-008	<b>Snap Ring Pliers Set</b> , Internal & External



MIS-108



MIS-108-A



MIS-108-B



MIS-109



MIS-111



MIS-050



MIS-050B



MIS-TOOL-003




MIS-114



MIS-115



MIS-TOOL-202



WR-SJ-001



SEES-WS-001



MIS-211D



WR-MT



WR-MT-NB



WR-MT-METRIC

TOOLS / LUBRICANTS

## Tools



WR-CALIPER



WR-CALIPER-C



WR-CALIPER-L



G-TOOL-001



G-TOOL-002



MIS-TOOL-001



MIS-TOOL-004



MIS-TOOL-005



MIS-TOOL-006



MIS-TOOL-007



MIS-920



MIS-921



MIS-922

S.E.E.S. #	O.E.M. #	Description
<b>WR-CALIPER</b>		<b>Digital Wire Rope Caliper</b> , only
<b>WR-CALIPER-C</b>		<b>Wire Rope Caliper</b> , with case, digital, measures inches and millimeters
<b>WR-CALIPER-L</b>		<b>Wire Rope Caliper</b> , Digital Digital 6" in/mm, Larger Jaw
<b>G-TOOL-001</b>	DRV-0009N	<b>Parameter Tool</b> , for MOVFR II Hand Held with 7FT Cable
<b>G-TOOL-002</b>	DRV-0003N	<b>Parameter Tool</b> , FR-PU04-7 Hand Held with 7FT Cable
<b>G-TOOL-003</b>	2500-3051	<b>Parameter Tool</b> , for MOVFE
<b>GPC-201</b>	MOVFR-0072N	<b>Drive</b> , 115 VAC for MOVFR II Oper Includes Drive Ribbon Cable
<b>SEES-CABLE-USB-RJ45</b>		<b>Programming Cable</b> , USB to RJ45
<b>MIS-TOOL-001</b>		<b>Flashlight</b> , 9 LED, extra bright, with SEES logo
<b>MIS-TOOL-004</b>	EMF-1	<b>Flashlight</b> , Extendable LED 6-21" with Magnetic Tip
<b>MIS-TOOL-005</b>	EMF-2	<b>Flashlight</b> , Extendable Magnetic LED 21" including inspection mirror & clip
<b>MIS-TOOL-006</b>	MSL-1	<b>Stick Light</b> , Magnetic LED Water Resistant, with AAA Battery
<b>MIS-TOOL-007</b>	PAL-1	<b>Area Light</b> , Pocket Size LED Water Resistant, with AAA Battery
<b>MIS-TOOL-010</b>		<b>Swaging Tool</b> , 24" Hand Swager For Wire Rope Aircraft Cable
<b>MIS-TOOL-011</b>	PJL-1	<b>Portable Light</b> , 10W COB LED, Cordless, Magnetic
<b>MIS-147B-P</b>	9875412	<b>Car Top Light</b> , magnetic base with flex neck & 25ft cord with plug
<b>MIS-920</b>		<b>Drop Light</b> , Fluorescent Work Light 120V 25' Cord with Outlet
<b>MIS-921</b>		<b>Drop Light</b> , Fluorescent Work Light 15W 25' Cord with 100V Tool Tap
<b>MIS-922</b>		<b>Drop Light</b> , Fluorescent Work Light 15W 50' Cord with 100V Tool Tap
<b>LTT-1</b>		<b>Service Tool</b> , LG Sigma OPP-2000
<b>LTT-2</b>		<b>Service Tool</b> , LG Sigma OPP-2000
<b>SEES-BRGT-001</b>	BTM-100	<b>Bearing Removal Tool</b> , for 1604 drive arm bearings



# Relay Testers

## Universal Multi-Volt Relay Tester

S.E.E.S. #	Description
<b>MIS-301UTK</b> ■ Boards included, MIS-301UT1, MIS-301UT2, MIS-301UT4, MIS-301UT5, MIS-UT6, MIS-UT7 and MIS-UT11	<b>Tester Kit</b> , Universal multi-volt relay tester with lamp test fixture and carrying case. Tests 2-12 pole relays including the following: P&B R1 relays, KU Series 2 and 3 pole relays, Omron MY/LY relays, Houghton 6 pole relays, IBM relaysm Input/Output modules
<b>MIS-301UT</b>	<b>Relay Tester</b> , universal, with case, AC/DCV boards sold separately or in a kit
<b>MIS-301UT1</b>	<b>Relay</b> , P&B R1- series
<b>MIS-301UT2</b>	<b>Relay</b> , KU series 2/3 pole
<b>MIS-301UT3</b>	<b>Board</b> , lamp test
<b>MIS-301UT4</b>	<b>Relay</b> , Omron MY type, 2/4 pole
<b>MIS-301UT5</b>	<b>Relay</b> , Omron LY type, 2 pole
<b>MIS-301UT6</b>	<b>Relay</b> , HRP-4BB/4BA
<b>MIS-301UT7</b>	<b>Relay</b> , IBM 4-12PDT, 45 VDC
<b>MIS-301UT8</b>	<b>Relay</b> , solid state, plug in
<b>MIS-301UT9</b>	<b>Relay Test Board</b> , I/O module for DRP-22 and DRP-22A
<b>MIS-301UT10</b>	<b>Relay Test Board</b> , I/O module for DRP-22H, DRP-22C, DRP-22F
<b>MIS-301UT11</b>	<b>Relay Test Board</b> , I/O module for DRP-22B & DRP-22G
<b>MIS-301UT12</b>	<b>Relay Test Board</b> , LY4N relay tester
<b>MIS-301UT13</b>	<b>Test Board</b> , Motion Control 100 VDC Safety Relay
<b>MIS-301UT14</b>	<b>Test Board</b> , for PR-36, 37 & PR-52 Guardian type relays
<b>MIS-301UTF</b>	<b>Main Fuse</b> , SEES relay tester 500MA
<b>MIS-301UTF-C</b>	<b>Coil Fuse</b> , SEES relay tester 250MA
<b>MIS-301UT-IBM</b>	<b>IBM Tester kit</b> , MIS-301UT with IBM test card



MIS-301UT Includes Case




MIS-301UTF-C MIS-301UTF



MIS-301UT-IBM



MIS-301UT1




MIS-301UT2



MIS-301UT3



MIS-301UT4



MIS-301UT5



MIS-301UT6




MIS-301UT7



MIS-301UT8



MIS-301UT10



MIS-301UT11



MIS-301UT12



MIS-301UT13



MIS-301T

## Specialty Test Equipment

S.E.E.S. #	O.E.M. #	Description
<b>MIS-300T</b>		<b>Relay tester</b> . Hall effect, non contact LED relay tester. Ideal for "ice cube" relays. Works with all voltages and currents.
<b>MIS-301T</b>		<b>Universal Relay Tester</b> . For IBM style relays.
<b>MIS-310</b>		<b>EEPROM Memory Copier</b>
<b>MIS-311</b>		<b>EEPROM Eraser</b> with Timer
<b>MIS-312</b>	A835RPLBOX	<b>PCB</b> , EDR assembly with box



MIS-300T

## Tools

### Relay Adjuster's Tool Kit

Specially designed tools are a must for the technician or adjuster. The perfect assortment to quickly and efficiently check, adjust and trouble-shoot all types of relays, held in a strong vinyl case with pockets.



MIS-116

S.E.E.S. #	Description
MIS-116	<b>Relay Service Tool Kit</b> , Vinyl case contains: Thickness gauges, a spring tension gauge, contact burnishers, spring and armature adjusters, flat nose pliers, phillips screw driver, offset screwdrivers, inspection mirror, wrenches and a screw holding screwdriver.

### Stud Welding Gun

S.E.E.S. #	Description
MIS-SWG-1	<b>Stud Welding Gun</b> , Gap gun G-1 with 10' cable
MIS-SWG-2	<b>Stud Welding Gun</b> , Contact gun C-1 with 10' cable
MIS-SWG-3	<b>Stud Welding Gun</b> , S-1 gun extended pistol with 15' cable
MIS-SWG-TIP-8	<b>Stud Welding Tip</b> , #8 Stud
MIS-SWK-1	<b>Stud Welder Kit</b> , Quickshot 1/4 capacity, specify gun
MIS-SWK-2	<b>Stud Welder Kit</b> , Modular 5/16" capacity, specify gun
MIS-SWK-3	<b>Stud Welder Kit</b> , Titan 3/8" capacity, specify gun
MIS-SWST-0610	<b>Stud Welder Kit</b> , Titan 3/8" capacity, specify gun
MIS-SWST-0650	<b>Welding Stud</b> , 6-32 x 0.50", Pack of 100
MIS-SWST-0810	<b>Stud Welder Kit</b> , Titan 3/8" capacity, specify gun
MIS-SWST-0850	<b>Welding Stud</b> , 8-32 x 0.50", Pack of 100
MIS-SWST-08075	<b>Welding Stud</b> , 8-32 x 0.75", Pack of 100
MIS-SWST-1010	<b>Stud Welder Kit</b> , Titan 3/8" capacity, specify gun



MIS-SWG-2



MIS-SWK-1

### Commutator Treating Kit and Stone

This versatile tool is a must. Each kit contains an assortment of specialized stones and a flexible handle. Completely non-conductive for safe use.

S.E.E.S. #	Description
MIS-135	<b>Commutator Treating Kit</b> and brush seater contains a holder, and two each coarse, medium, finish, and extra finish stones, and four brush seater and seating stones.
MIS-136	<b>Handle Only</b> , for seating stones
MIS-137	<b>Replacement Stone</b> , Grade: Coarse, Red
MIS-138	<b>Replacement Stone</b> , Grade: Medium, Yellow
MIS-139	<b>Replacement Stone</b> , Grade: Finish, Green
MIS-140	<b>Replacement Stone</b> , Grade: Extra Finish, Black
MIS-141	<b>Replacement Stone</b> , Grade: FH Seater, White
MIS-186A	<b>Brush Seater and Commutator Cleaning Stones</b> . This popular Medium-Soft Grade stone, 1" x 1" x 4-3/4" long, is perfect for general purpose use. Additional sizes and grades also available each sold separately
MIS-186F	<b>Commutator Eraser</b> , 1" x 1" x 5" Rubrite flexible abrasive cleaning tool for commutator conditioning. Required for proper maintenance of generators and DC motors.



MIS-135



MIS-186A

### Brush Seater

S.E.E.S. #	Description	L	W	H	Grade
MBS-001	<b>Brush Seater</b> , cleaning stones (pack of 1)	4-3/4"	2"	1-1/4"	MS
MBS-002	<b>Brush Seater</b> , cleaning stones (pack of 1)	4-3/4"	1"	1/2"	MS
MBS-003	<b>Brush Seater</b> , cleaning stones (pack of 1)	4-3/4"	3/4"	1/2"	MS
MBS-004	<b>Brush Seater</b> , cleaning stones (pack of 2)	4-3/4"	3/4"	1/4"	FH
MBS-005	<b>Brush Seater</b> , cleaning stones (pack of 4)	4-3/4"	1/2"	1/4"	FH
MBS-006	<b>Brush Seater</b> , cleaning stones (pack of 4)	4-3/4"	3/8"	1/4"	FH




MBS SERIES

## Tools

### Burnishing Tools

Designed to burnish and polish all types of contacts -- without removing virtually any precious metal. And they leave no grit.

S.E.E.S. #	Description	L	W	T	Pack
MBT-001	Burnishing Tool, Contact, plastic handle	4"	3/16"	.007"	12
MBT-002	Burnishing Tool, Contact, plastic handle	4"	3/16"	.007"	10
MBT-003	Burnishing Tool, Contact, plastic handle	3-1/2"	1/4"	.011"	10



MBT SERIES


### Commutator Dressing and Finishing Stones

#### Commstone, Lathe-Type

S.E.E.S. #	Description	L	W	H	Grade
MCS-001	Commstone, Lathe-type w/ 1-1/2 wood block	5"	1"	1-1/2"	EP
MCS-002	Commstone, Lathe-type w/ 1-1/2 wood block	5"	1"	1-1/2"	F
MCS-003	Commstone, Lathe-type w/ 1-1/2 wood block	5"	1"	1-1/2"	M
MCS-004	Commstone, Lathe-type w/ 1-1/2 wood block	5"	1"	1-1/2"	P
MCS-005	Commstone, Lathe-type w/ 3 wood block	8"	1"	2"	F
MCS-006	Commstone, Lathe-type w/ 3 wood block	8"	1"	2"	M
MCS-007	Commstone, Lathe-type w/ 3 wood block	8"	1"	2"	P
MCS-008	Commstone, Lathe-type w/ 3 wood block	8"	1"	2"	EP
MCS-009	Commstone, Lathe-type no wood block	8"	1"	2"	EP
MCS-010	Commstone, Lathe-type w/ 1-1/2 wood block	8"	1"	1-1/2"	F
MCS-011	Commstone, Lathe-type w/ 1-1/2 wood block	8"	1"	1-1/2"	M
MCS-012	Commstone, Lathe-type w/ 1-1/2 wood block	8"	1"	1-1/2"	P
MCS-013	Commstone, Lathe-type w/ 1-1/2 wood block	8"	1"	1-1/2"	EP
MCS-014	Commstone, Lathe-type w/ 3 wood block	8"	1-1/2"	2-1/2"	EP
MCS-015	Commstone, Lathe-type w/ 3 wood block	8"	1-1/2"	2-1/2"	F
MCS-016	Commstone, Lathe-type w/ 3 wood block	8"	1-1/2"	2-1/2"	M
MCS-017	Commstone, Lathe-type w/ 3 wood block	8"	1-1/2"	2-1/2"	P



MCS SERIES



MCS-015



MCSP SERIES

#### Commstone, Pencil-Type

S.E.E.S. #	Description	L	W	H	Grade
MCSP-001	Commstone, Pencil-type	6"	3/8"	1/4"	F
MCSP-002	Commstone, Pencil-type	6"	3/8"	1/4"	M
MCSP-003	Commstone, Pencil-type	6"	3/8"	1/4"	P
MCSP-004	Commstone, Pencil-type	6"	3/8"	1/4"	EP
MCSP-005	Commstone, Pencil-type	6"	1/2"	1/4"	M
MCSP-006	Commstone, Pencil-type	6"	1/2"	1/4"	P
MCSP-007	Commstone, Pencil-type	6"	3/8"	3/8"	F
MCSP-008	Commstone, Pencil-type	6"	3/8"	3/8"	M
MCSP-009	Commstone, Pencil-type	6"	3/8"	3/8"	P
MCSP-010	Commstone, Pencil-type	6"	3/8"	3/8"	EP
MCSP-011	Commstone, Pencil-type	6"	1/2"	3/8"	F
MCSP-012	Commstone, Pencil-type	6"	1/2"	3/8"	M
MCSP-013	Commstone, Pencil-type	6"	1/2"	3/8"	P
MCSP-014	Commstone, Pencil-type	6"	5/8"	1/2"	F
MCSP-015	Commstone, Pencil-type	6"	5/8"	1/2"	M
MCSP-016	Commstone, Pencil-type	6"	5/8"	1/2"	P
MCSP-017	Commstone, Pencil-type	6"	3/4"	3/4"	EP
MCSP-018	Commstone, Pencil-type	6"	3/4"	3/4"	M
MCSP-019	Commstone, Pencil-type	6"	3/4"	3/4"	F
MCSP-020	Commstone, Pencil-type	6"	3/4"	3/4"	P
MCSP-021	Commstone, pocket combination	8"	2"	1"	M/P

### Grade Guide

**GRADE M** (Medium - 90 Grit) for use where only high mica or a small amount of copper is to be removed.

**GRADE F** (Fine - 120 Grit) recommended for general finishing, for periodic preventative maintenance or removing small ridges.

**GRADE P** (Extra Fine or Polishing - 220 Grit) for finishing or polishing / burnishing where a high mirror-like polish is desired.

**GRADE EP** (Extra Polish - 320 Grit) for finishing small commutators.



MCSP-002

## Tools



MFFP SERIES

### Grade Guide

80	Coarse
120	Medium
180	Fine
240	Extra Fine
320	Polish



MRR SERIES

## Flexible Files

Plastone flexible files are made of hard abrasive materials pressed into a flexible core to enable you to bend or twist these tools any way you like to reach curved surfaces and otherwise hard-to-reach areas. They are non-conductive and impervious to oil and water.

S.E.E.S. #	Description	L	W	H	Grade
MFFP-001	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.015"	240
MFFP-002	Flexible File, Plastone 12/pack	3/8"	4-1/2"	.015"	240
MFFP-003	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.015"	320
MFFP-004	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.015"	320
MFFP-005	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.025"	120
MFFP-006	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.020"	240
MFFP-007	Flexible File, Plastone 12/pack	3/8"	4-1/2"	.020"	240
MFFP-008	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.020"	320
MFFP-010	Flexible File, Plastone 12/pack	3/8"	4-1/2"	.040"	180
MFFP-011	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.040"	240
MFFP-012	Flexible File, Plastone 12/pack	3/8"	4-1/2"	.040"	240
MFFP-013	Flexible File, Plastone 12/pack	1/4"	4-1/2"	.040"	320
MFFP-014	Flexible File, Plastone 12/pack	3/8"	4-1/2"	.040"	320
MIS-186	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.040"	80
MIS-185	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.020"	180
MIS-185A	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.040"	80
MIS-186B	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.040"	120
MFFP-019	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.040"	180
MFFP-020	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.040"	240
MFFP-021	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.040"	120
MFFP-022	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.040"	240
MFFP-023	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.040"	320
MIS-186C	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.070"	80
MIS-186D	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.070"	80
MIS-186E	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.070"	120
MFFP-026	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.070"	120
MFFP-027	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.070"	240
MFFP-028	Flexible File, Plastone 12/pack	1/2"	4-3/4"	.070"	320
MFFP-029	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.070"	120
MFFP-030	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.070"	180
MFFP-031	Flexible File, Plastone 12/pack	3/8"	4-3/4"	.070"	320
MFFP-032	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.070"	80
MFFP-033	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.070"	180
MFFP-034	Flexible File, Plastone 12/pack	7/8"	4-3/4"	.070"	120
MFFP-035	Flexible File, Plastone 12/pack	1/8"	4-1/2"	.020"	240
MFFP-036	Flexible File, Plastone 12/pack	1/8"	4-1/2"	.020"	320
MFFP-037	Flexible File, Plastone 12/pack	1/8"	4-1/2"	.020"	180

## Flexible Abrasives

Used for hundreds of jobs - including metal cleaning, commutator burnishing and rust removal.

S.E.E.S. #	Description	L	W	H
MRR-001	Rubrite, unmounted	5"	3/8"	3/8"
MRR-002	Rubrite, unmounted	5"	5/8"	3/8"
MRR-003	Rubrite, unmounted	5"	1/2"	1/2"
MRR-004	Rubrite, unmounted	5"	1/2"	1"
MRR-005	Rubrite, unmounted	5"	1"	5/8"
MRR-006	Rubrite, unmounted	5"	3/4"	3/4"
MRR-008	Rubrite, unmounted	5"	2"	1"
MRR-009	Rubrite, unmounted	5"	3"	1"
MRR-010	Rubrite, unmounted	5"	1"	1/8"

## Tools

### Diamond Spatulas

S.E.E.S. #	Description
MDS-001	Diamond Spatula, Green, coarse grit
MDS-002	Diamond Spatula, Red, medium grit
MDS-003	Diamond Spatula, Blue, fine grit
MDS-KIT	Diamond Spatula, Kit, 1 of each (Green, Red, Blue)
MDS-KIT-001	Diamond Spatula, Kit 1 of each (Yellow, Red, Blue)



MDS-KIT



MDS-KIT-001

### Identification Stencils

S.E.E.S. #	Description
Q-CARDS	Cards Elevator Set, Magnetic Stencils for Hoistway and Equipment Identification



Q-CARDS

## Tools

S.E.E.S. #	Description
MBTS-001	Brush Tension Scale, 15 pounds
MIS-TOOL-008	Snap Ring Pliers Set, Internal & External
MU-001	Undercutter, Mica-Miller, 115V with standard head
WR-QBTM-2	Quick-Balance Tension Meter



MBTS-001



MU-001

## Tool Box

S.E.E.S. #	Description
MIS-TOOL-BOX	Portable Tool Chest, Red, 20-1/2" Width x 9-5/8" Height x 8-5/8" Deep, 3 Storage drawers



SEES-TOOL-BOX



SEES-TOOL-TOTE

## SEES Tool Bag

S.E.E.S. #	Description
SEES-TOOL-TOTE	Tool Tote, with Soft Sides Heavy Duty, 12.5" L x 7.5" W x 5.5"

## Trash Bags, Brooms and Absorbent

S.E.E.S. #	Description
MIS-TRASH-BAGS	30 gal. Black Trash Bags, Heavy Duty Coreless Roll of 70
MIS-PUSH-BROOM	Push Broom, 24" Sweep Face
MIS-DUST-PAN	Dust Pan, Metal, 17"
MIS-ANGLE-BROOM	Angle Broom, 13" Sweep Face
MIS-ABSORBENT-001	Absorbent, Loose, 40 lb. Bag
MIS-WET-DRY-VAC	Wet Dry Vac, 5 Gallon Bucket Head





MIS-WET-DRY-VAC



# ALPHA TAGS



## Application



## MAGNETIC ALPHA-NUMERIC STENCILS

CREATE A CLEAN, BEAUTIFUL LANDING MARKING FOR THAT FINISHING TOUCH ON A WELL BUILT ELEVATOR

**DON'T DO ANOTHER JOB WITHOUT ALPHA TAGS**



### Convenient & Simple

Easily slap on the magnet and with spray paint or a large felt pen, safely mark your landings or equipment.



### Easily transported

Stencils come in a compact hard-shell carrying case for safekeeping.



### Better than Paper

No more fumbling around with paper stencils as tape, these stencils allow for a faster hoistway marking experience and professional looking finish.



### Kerning Gauge

A kerning gauge is included for uniform gaps between characters.

SEES Part#: Q-CARDS

**CODE  
COMPLIANT**

**4.5" TEXT SIZE  
MEETS 2.9 ID  
REQUIREMENTS**

*Always Smooth Sailing*



SOUTHERN ELEVATOR  
& ELECTRIC SUPPLY



SEES Inc



SEESParts

2781 West McNab Rd, Pompano Beach, FL 33069 • (800) 526-0026 • [www.SEESinc.com](http://www.SEESinc.com)

## Tools

### Screwdrivers and Fasteners

S.E.E.S. #	Description
MIS-126A	Screwdriver, Screwdriver with Ratchet and 12 Bits, Phillips #0, #1, #2, Slotted #4, Spanner #6 x #8, #10 x #12, Torx(R) T10 x T15, T20 x T25
MIS-126B	#6 Spanner Bit
MIS-126C	#8 Spanner Bit
MIS-126D	#10 Spanner Bit
MIS-126E	Phillips Bit
MIS-126F	Torx Bit, star point
MIS-126G	Screwdriver, 16-in-1, without Ratchet A590A
MIS-126H	Screwdriver, 15-in-1, Elevator Service and Repair
MIS-128	Tamper Proof Screw, 10/32 x 1", Nickel plated
MIS-129	Tamper Proof Screw, 10/32 x 2", Oval Head, stainless steel
MIS-131	Tamper Proof Screw, 8/32 x 1", Nickel plated
MIS-133	Tamper Proof Screw, 6/32 x 1", Nickel plated
MIS-128A	Tinnerman Clip for 10-32 thread
MIS-130MR	Tamper Proof Screw, M4x25mm, Round Hex Pack of 100
MIS-131A	Tinnerman Clip for 8-32 thread
MIS-132	Screw, Tamper Proof, 8-32 x 1-1/2
MIS-133A	Tinnerman Clip for 6-32 thread
MIS-134	Tinnerman Clip for 1/4 x 20 thread
MIS-134A	Cage Nut, .093 thru 126 thk used in Adams & Epco fixtures for 10-32 thread
MIS-159	Security Seal, lead seal with 10" monel wire to secure governor speed settings as required by inspectors for code compliance.
OB-100	Tool, manual driver for security fasteners used on Otis LRV car panels
OB-100A	Security Screw, LRV Car Panel screw used with OB-100
OB-101	Tool, Hall panel driver #6 A
MIS-130M	Screw, Tamperproof M4x25mm, Pan, Pack of 100, M4.7

\*photos enlarged to show detail



### Solder Pot & Babbit

S.E.E.S. #	Description
MIS-TOOL-100	Solder Pot, 20lbs, 115 VAC 5" I.D. x 9" D, Adj temp 200-800F
MIS-TOOL-101	Ladle, 2.5" Bowl x 9.5" Long for solder pot
MIS-TOOL-103	Babbit, Lead Free pucks (Rohos)



MIS-TOOL-101



MIS-TOOL-103



MIS-159

MIS-100A

### Lubricants

S.E.E.S. #	Description
MIS-100A	Cable Lubricant, 1 gallon. Keeps cables running smoother, more efficiently
MIS-100B	Bearing Oil, 1 gallon. Lubricates sleeve type bearings on motor generators
MIS-100C	Detector Face Plate Cleanser, 1/2 quart. Non-residual anti-static cleanser
MIS-100D	Hydraulic Oil, 1 gallon. Specially formulated for all types of hydraulic elevator pistons
MIS-100D5	Hydraulic Oil, AW32 5 gallon pail
MIS-100D55	Hydraulic Oil, AW32 55 gallon drum
MIS-100D55-BIO	Hydraulic Oil, Bio, 55 gallon drum
MIS-100P	Grease, Gear & Chain "Sling Free", 10.5oz tube



MIS-TOOL-100



MIS-100D5



MIS-100D55



MIS-100P

## Cleaners, Lubricants and Sealants



MIS-100K



MIS-100E5



MIS-100M



MIS-100Q



MIS-100S



MIS-CLEAN-WIPES



MIS-CLEAN-WIPES-001



MIS-171-KIT



MIS-100



MIS-102B



MIS-104A

### Lubricants

S.E.E.S. #	Description
MIS-100E	<b>Worm Gear Oil</b> , 1 gallon. Lubricates worm gears
MIS-100E5	<b>Worm Gear Oil, #7</b> , 5 Gal Pail, 71011EP, 140Wt
MIS-100F	<b>Way Oil</b> , for Drive Chain, 1 gallon. Excellent grade to lubricate chain bushings and pins
MIS-100G	<b>Grease</b> , Multi-Purpose, 14 oz. General purpose lubricant
MIS-100H	<b>Buffer Oil #6</b> , 1 gallon. Anti-wear hydraulic oil formulated for door checks and oil buffers
MIS-100K	<b>Stepper Lube Kit</b> , assorted lubricants, specially formulated for maintaining stepping switch wear points. Prolongs life, improves performance
MIS-100L	<b>Rail Lube</b> , 1 gallon. Paraffin based lubricant designed for automatic rail lubricators
MIS-100M	<b>Lubriplate</b> , general purpose lock and linkage grease, 3/8 oz. tube
MIS-100Q	<b>Rail Lube</b> , 1 quart
MIS-100R	<b>Cable Lube</b> , 1 quart
MIS-100S	<b>Slipit Silicone-Free Liqui-Form</b> (Case, 15 Quart Bottles)
MIS-SPOUT-OILER	<b>Precision Spout Oiler</b> , with All-Purpose Oil

### Cleaners

S.E.E.S. #	Description
MIS-SIMPLE-GREEN	<b>Simple Green</b> , All-Purpose Industrial Cleaner / Degreaser, 1 Gallon
MIS-CLEAN-WIPES	<b>Heavy Duty Cleaning Wipes</b>
MIS-CLEAN-WIPES-001	<b>Heavy Duty Cleaning Wipes</b> for Stainless Steel

### O-Ring Kit

S.E.E.S. #	Description
MIS-171-KIT	<b>O-Ring Assortment Kit</b> , Buna Size 006 Thru 334

### Rope Oilers

Automatic Rope Oiler keeps ropes lubricated to increase the lifetime of rope up to 400%, and prevent rope grooves from wearing in the sheave.

S.E.E.S. #	Description
MIS-100	<b>Rope Oiler</b> with 9" wick
MIS-102	<b>Rope Oiler</b> with 12" Wick
MIS-100A	<b>Cable Lubricant</b> , used with MIS-100 & MIS-102
MIS-103	<b>Extension Bracket</b> for rope oiler
MIS-103A	<b>Replacement Wick</b> for all size oilers
MIS-103B	<b>Replacement Wick</b> , 1/2" x 6-1/2" x 12"
MIS-104	<b>Wire Rope Cleaning Kit</b>
MIS-104A	<b>Replacement Brush</b> , For MIS-104 Wire Rope Cleaning Assy
MIS-104B	<b>Wire Rope Cleaning Solution</b> , For MIS-104, 1 Gallon

### Rail Lubricator

S.E.E.S. #	Description
MIS-101B	<b>Rail Lubricator</b> for 8 & 15 lb. Rails
MIS-101C	<b>Oiler Wick</b> , braided cotton, 1" x 7.5"
MIS-100L	<b>Rail Lube</b> , 1 gallon. Paraffin based lubricant designed for automatic rail lubricators, for use with MIS-101B Rail Lubricator



## Cleaners, Lubricants and Sealants

### X-Pando

The problem solver for over 60 years!

**Special expanding cements for use with pipe couplings, ceramic and glass**

- X-Pando Pipe Joint Compound - for threaded or flanged joints made of iron, steel, brass, copper, stainless steel or PVC.
- X-Pando Special No. 2 - pipe joint compound for cement lined pipes to be welded.

S.E.E.S. #	Description
MIS-XPANDO-001	Pipe Joint, Compound 14oz Can
MIS-XPANDO-002	Pipe Joint, Compound 70oz Can
MIS-XPANDO-003	Pipe Joint, Compound 25 lb drum
MIS-XPANDO-004	Pipe Joint, Compound 50 lb drum
MIS-XPANDO-005	Pipe Joint, Compound 100 lb drum
MIS-XPANDO-006	Pipe Joint, Compound Spec #2 14oz Can
MIS-XPANDO-007	Pipe Joint, Compound Spec #2 70oz Can



MIS-XPANDO-001



MIS-XPANDO-003

### Polycel 100

This remarkable urethane sealant foam expands when activated by moisture in the air. The unique chemical properties dry in less than one hour, eliminates chain, counterweight, and pipe rattle problems. Muffles noise and seals and fills gaps wherever needed.

S.E.E.S. #	O.E.M. #	Description
MIS-215		Polycel 100, 12 oz. can, urethane sealant

S.E.E.S. #	O.E.M. #	Description
MIS-CHEM-002	53300LO	Thermal Compound, 3CC syringe



MIS-215



MIS-CHEM-002

### CRC® Chemicals Products

S.E.E.S. #	Description
CRC-6	<b>Lectra-Clean®</b> 20 oz. spray can, specially formulated solvent for the cleaning & degreasing of dirty, corroded electrical equipment. It quickly removes grease, oil, wax, dirt, moisture and other foreign substances. Non-Conducting, non-corrosive, evaporates fast, leaves no residue. Ideal for heavy duty cleaning/degreasing applications.
CRC-6A	<b>Lectra-Clean®</b> 5 gallon pail, the same famous formula in an economical industrial size.
CRC-11	<b>Cable-Clean®</b> 20 oz. spray can, formulated to effectively remove contamination from semi-conducting jackets and insulations of high voltage cables before splicing and terminations. It may be used on a variety of elastometric and thermo plastic insulations and jackets. No flash or fire point, non-conductive, and non-corrosive to metals.
CRC-16	<b>Hydro Force Cleaner Degreaser®</b> 18 oz. spray can, quickly penetrates and removes grease and grime from washable surfaces. Safe for use on most metals, plastics, rubber compounds and fabrics. Perfect for use in the machine room, pit or for clean-ups anywhere. Keep plenty on hand.



CRC-6



CRC-11



CRC-16

*Scientifically formulated to protect, preserve and improve performance of valuable equipment. Environmentally safe, no CFC's.*



## SEES Solutions

Formulated exclusively for the elevator professional.



S.E.E.S. #	O.E.M. #	Product Description
SSEE-001	APA100CC	<b>Water &amp; Temperature Resistant Grease.</b> Heat Stable. Deep Penetrating. NET WT. 11 OZ. (311 Grams)
SSEE-002	APA140CC	<b>Dry Silicone Spray.</b> Fast, Safe on Plastic. Reduces Friction. Non-Staining. NET WT. 11 OZ. (311 Grams)
SSEE-003	APA130CC	<b>Electronic Contact Cleaner,</b> Non-Flammable, Dries Fast. Zero Residue. Non-Corrosive. 30,000 Volt Dielectric Strength. Safe on most plastics. NET WT. 10 OZ. (283 Grams)
SSEE-004		<b>High Purity Contact Cleaner,</b> Quick Drying Formula. Electrical grade. Leaves no residue. Plastic Safe. NET WT. 11 OZ. (311 Grams)
SSEE-005	APA180CC	<b>Chain &amp; Cable Lubricant.</b> Prevents Corrosion. High Pressure & Extreme Temperature Resistance. NET WT. 15 OZ. (425 Grams)
SSEE-006	APA31GC	<b>Metal Parts Protector</b> (Guide Rail Protector) Long Term. Flexible Dust Retardant Coating. Easily Applied & Removed. NET WT. 14 OZ. (396 Grams)
SSEE-007	APA150CC	<b>Heavy Duty Penetrating Oil.</b> Super Penetrating Nut Loosener with Capillary Wet Drilling Action. Stops Squeaks Fast. Frees Rusted & Corroded Parts. NET WT. 15 OZ. (425 Grams)
SSEE-008	APA160CC	<b>All Purpose Mechanics Spray.</b> Non-Flammable. Penetrates, Lubricates, Cleans, Never Dries, Displaces Water 39,000 Volt Dielectric Strength. NET WT. 12 OZ. (340 Grams)
SSEE-009		<b>Metal Cleaner &amp; Polisher.</b> Effective on all Metal Surfaces. Cleans, Polishes, Beautifies. Non-flammable, Odorless. NET WT. 18 OZ. (1 LB. 2 OZ.) (510 Grams)
SSEE-011		<b>High Tack Belt Dressing.</b> Stops Slippage. Increases Equipment Efficiency. Sprays when Held Upright or Inverted. NET WT. 12 OZ. (340 Grams)
SSEE-012		<b>Air Duster,</b> 8 oz
SSEE-013		<b>Germicidal Cleaner,</b> Case of 12, 20oz
SSEE-013-STORE		<b>Germicidal Cleaner,</b> Sold as Each
SSEE-014		<b>Disinfectant Spray Q,</b> Country Fresh Case of 12, 20oz
SSEE-014-STORE		<b>Disinfectant Spray Q,</b> Sold as Each, 20oz

Packaged 6 per carton unless otherwise specified

## The SEES Library *Technical reference to aid the elevator professional*

### Elevator Books

S.E.E.S. #	Description
BOOK-001A	<b>2020 Field Safety Handbook</b> , up to date resources for safety information that the elevator industry field employees shall use to help prevent injuries and illnesses resulting from unsafe acts and/or conditions.
BOOK-002	<b>Elevator Maintenance Manual</b> , An in-depth guide, designed for the service technician, covering elevator maintenance programs and practices as related to electric and hydraulic elevators. Also covers, escalators and moving walks.
BOOK-003	<b>Elevator Field Maintenance Handbook</b> , Pocket sized companion designed for the service mechanic to take into the field. Contains over 75 charts and guides.
BOOK-004	<b>Facility Manager's Operation and Maintenance Handbook</b> , will help give the facility manager guidance in maintaining continuity in all services, running a professionally managed property and achieving each of these.
BOOK-005	<b>Elevator &amp; Escalator Maintenance for Building Managers</b> , 2nd Edition In-depth guide designed for the service technician, covering elevator maintenance programs and practices as related to both electric and hydraulic elevators. Also covers escalators and moving walks. Can be used for "how-to" guide that can be used for training classes, home study or as a reference guide.
BOOK-007	<b>Field Employees' Elevator Testing Manual</b> , for various tests on electric and hydraulic passenger and freight elevators in the presence of a Certified Elevator Inspector. Can help with understanding of what is being tested, why it is being tested and a safe means to demonstrate the function
BOOK-008	<b>Electrical Engineering Handbook</b> , contains tables, charts and motor data carefully selected for everyday use.
BOOK-009	<b>2009 International Building Code</b> , comprehensive building code establishes minimum regulations for building systems using prescriptive and performance-related provisions. This edition is fully compatible with all International Codes (I Codes) published by the International Code Council
BOOK-010	<b>Electric Elevator &amp; Escalator Maintenance Logbook</b> , designed to comply with ASME A17.1 Safety Code
BOOK-011	<b>Hydraulic Elevator &amp; Escalator Maintenance Logbook</b> , designed to comply with ASME A17.1 Safety Code
BOOK-012	<b>FEM Terminology</b> , provides exact names for each part of the elevator (lift) in eight languages. English, German, French, Spanish, Italian, Dutch, Danish and Portuguese.
BOOK-014	<b>Maintenance on New Equipment Designs</b> , Is maintenance different on new equipment? What documentation is required by code? What is a maintenance control program? Find the answers to these questions and more in this valuable reference.
BOOK-016	<b>Safety Meetings, 7th Edition</b>
BOOK-017	<b>Elevator Industry Inspection Handbook - 7th Edition</b>
BOOK-018	<b>Safety Meetings - 8th Edition</b>



BOOK-001A



BOOK-002



BOOK-003



BOOK-004



BOOK-005



BOOK-007




BOOK-008



BOOK-009



BOOK-010



BOOK-011



BOOK-012



BOOK-014



BOOK-016



# BARRICADE SALE!



- ✓ LIGHT AND PORTABLE
- ✓ PREVENTS ACCIDENTS
- ✓ EASY TO USE AND CLEAN
- ✓ RUGGED CONSTRUCTION

 **CALL NOW: 800.526.0026**

## UNBEATABLE SAVINGS!

### BARR-001A

36" W X 42" H panel, 10mm thick

LIST: ~~\$28~~  
SALE PRICE: \$22



### BARR-003

(3) 36" W x 42" H panels, 10mm thick, with anchors and (2) locks

LIST: ~~\$140~~  
SALE PRICE: \$110



### BARR-004

(4) 36" W x 42" H panels, 10mm thick, with anchors and (3) locks

LIST: ~~\$175~~  
SALE PRICE: \$140

